

Orbility® Multipark

Codex BI/BVN 550

Simplified Terminal

Easy-to-use terminal with reduced maintenance, it controls the entry of vehicles to the garages that are closed to hourly parkers during the night time. It can also be used to control access to nested areas.

This equipment is part of the Orbility® Multipark system.

Features

- Reads and controls the validity of pass-cards, pre-paid cards congress and event tickets (if barcode reader installed): time/place, black list.
- Transmission in real time to the Orbility® Multipark Central Management System of alarms.
- Operates in standalone mode in the event of loss of communication with the server. The E-Ticket platform manages printed tickets and broadcasts them to all equipment.
- Activates the door closing access to the car park or the gate providing access to the nested area.
- Intercom button.



Simplified terminal with barcode reader option



Simplified terminal with barcode reader option

Technical Features

- Overall dimensions (height x width x depth): 48 x 12 x 11,5 inches.
- Weight: 40 kg.
- Power supply: 110 VAC - 60 Hz.
- Operating temperature range : - 68° F to +122° F.

Internal Components

- 0,06 inches anti-corrosion treated steel housing, with durable epoxy powder coat finish (RAL 9006 light grey).
- Access to internal components through a metallic door, equipped with a lock.
- PC board with Windows operating system.

Options

- 2D barcode reader for the reading of tickets.
- Mifare contactless card reader for monthlies.
- AVI reader.
- Gate control.
- Intercom module.
- Video enclosure with 5"7 inches screen and IP camera.

France – Siège social

Orbility

10/12 Boulevard Louise
Michel, Bâtiment B1
92230 Gennevilliers, France
Tel. +33 1 41 32 71 03
Fax +33 1 41 11 98 41

info@orbility.com

Canada

Orbility

2037 Rue Michelin
Laval, QC H7L 5B7 Canada
Tel. 514-316-7373
Tel. 866-794-8916
Fax 514-316-7372

info@orbility.ca

USA

OSP US Inc.

1650 Summit Lake
Dr. Suite 104 Tallahassee,
FL 32317, USA
Tel. (1) 850 354 5399.

info@orbility.com